

Quotation

No. 2503-DBC-5034

(Please mention with each correspondence)

Transfer Line, Flexsafe® 2D Ref. CUP B53C22006140001

To: OSPEDALE PEDIATRICO BAMBINO GESU' P.IVA e
C.F. 80403930581
Marilena Margiotta
Piazza S. Onofrio, 4
00165 ROMA
Italy

Email: marilena.margiotta@opbg.net

From: Sartorius Stedim Italy S.r.l.
Via A. Meucci n.4
50012 Grassina - Bagno a Ripoli (Florence)
Italy
Phone: +39.055.63.40.41
Fax: +39.055.63.40.526

Contact person: Ms. Daniela Bartocci
Phone: 055634041
Email: Daniela.Bartocci@Sartorius.com

Date: 27.03.2025

Table Of Contents


Products	3
CTO Transfer line TuFlux® TPE L1500mm ID 1/4" Plug Plug	3
Flexsafe® 2D 1L	7
Flexsafe® 2D 5L	11
Flexsafe® 2D 20L	15
Prices	19
Commercial Conditions	20

Products

Pos 1 20 x CTO Transfer line TuFlux® TPE L1500mm | ID 1/4" Plug Plug

ORC: FBT501210 revision 00.00

Drawing



Quotation No. 2503-DBC-5034

Customer: OSPEDALE PEDIATRICO BAMBINO GESU' P.IVA e C....

Page 4 of 23

SARTORIUS

Legend

N°	Description	Material
33	PINCH CLAMP	PP
73	PRESS IN PLUG 1/4"	PP
1236	TUBE 1/4"ID x 7/16"OD L60"(1500MM)	TPE TUFLUX®

Functional description

Tubing

1 x TuFlux® TPE Tubing ID 1/4" x OD 7/16" L 1500 mm

Inlet connector

1 x Plug

Outlet connector

1 x Plug

Quotation No. 2503-DBC-5034

Customer: OSPEDALE PEDIATRICO BAMBINO GESU' P.IVA e C....

Page 6 of 23




History

Major Revision	Pre-Order Revision	Subject	Date	Author
00	00	Technical drawing creation	29.01.2021	System

Pos 2 6 x Flexsafe® 2D 1L

ORC: FLS501776 revision 00.00

Drawing



Legend

N°	Description	Material
24	COUPLING MALE 1/4"	PC/SI
33	PINCH CLAMP	PP
67	SEALING CAP	PC
77	PLUG FEMALE LUER	PE
83	CLAVE CONNECTOR	ACRYLIC/PBT/PP/SI
92	LUER FEMALE 1/4"	PP
174	FILTER 5441307H4G-SO	PES/PET/PP
350	TUBE 1/4"ID X 7/16"OD L6" (150MM)	SI(Pt) TUFLUX®
718	LOT NUMBER LABEL	PAPER
728	BAG CHAMBER	PE
1111	TUBE 1/4"ID x 7/16"OD L12"(300MM)	TPE TUFLUX®
1235	TUBE 1/4"ID x 7/16"OD L20"(500MM)	TPE TUFLUX®

Functional description

Bag chamber

1 x Flexsafe® 3T 1 L

Line 1 (P1)

1 x Sartopore 2 0,2µm Gamma MidiCaps Size 4

1 x 1/4"x7/16" TuFlux® TPE Tubing 300mm

Line 2 (P2)

1 x Quick Coupler with plug (MPC) Male

1 x 1/4"x7/16" TuFlux® TPE Tubing Length 500mm

Line 3 (P3)

1 x Sampling with Clave connector

Quotation No. 2503-DBC-5034

Customer: OSPEDALE PEDIATRICO BAMBINO GESU' P.IVA e C....

Page 10 of 23




History

Major Revision	Pre-Order Revision	Subject	Date	Author
00	00	Technical drawing creation	24.03.2025	System

Pos 3 16 x Flexsafe® 2D 5L

ORC: FLS501777 revision 00.00

Drawing



Legend

N°	Description	Material
24	COUPLING MALE 1/4"	PC/SI
33	PINCH CLAMP	PP
67	SEALING CAP	PC
77	PLUG FEMALE LUER	PE
83	CLAVE CONNECTOR	ACRYLIC/PBT/PP/SI
92	LUER FEMALE 1/4"	PP
174	FILTER 5441307H4G-SO	PES/PET/PP
350	TUBE 1/4"ID X 7/16"OD L6" (150MM)	SI(Pt) TUFLUX®
718	LOT NUMBER LABEL	PAPER
736	BAG CHAMBER	PE
1111	TUBE 1/4"ID x 7/16"OD L12"(300MM)	TPE TUFLUX®
1235	TUBE 1/4"ID x 7/16"OD L20"(500MM)	TPE TUFLUX®

Functional description

Bag chamber

1 x Flexsafe® 3T 5 L

Line 1 (P1)

1 x Sartopore 2 0,2µm Gamma MidiCaps Size 4

1 x 1/4"x7/16" TuFlux® TPE Tubing 300mm

Line 2 (P2)

1 x Quick Coupler with plug (MPC) Male

1 x 1/4"x7/16" TuFlux® TPE Tubing Length 500mm

Line 3 (P3)

1 x Sampling with Clave connector

Quotation No. 2503-DBC-5034

Customer: OSPEDALE PEDIATRICO BAMBINO GESU' P.IVA e C....

Page 14 of 23




History

Major Revision	Pre-Order Revision	Subject	Date	Author
00	00	Technical drawing creation	24.03.2025	System

Pos 4 8 x Flexsafe® 2D 20L

ORC: FLS501778 revision 00.00

Drawing



Legend

N°	Description	Material
24	COUPLING MALE 1/4"	PC/SI
33	PINCH CLAMP	PP
67	SEALING CAP	PC
77	PLUG FEMALE LUER	PE
83	CLAVE CONNECTOR	ACRYLIC/PBT/PP/SI
92	LUER FEMALE 1/4"	PP
174	FILTER 5441307H4G-SO	PES/PET/PP
350	TUBE 1/4"ID X 7/16"OD L6" (150MM)	SI(Pt) TUFLUX®
718	LOT NUMBER LABEL	PAPER
744	BAG CHAMBER	PE
1111	TUBE 1/4"ID x 7/16"OD L12"(300MM)	TPE TUFLUX®
1235	TUBE 1/4"ID x 7/16"OD L20"(500MM)	TPE TUFLUX®

Functional description

Bag chamber

1 x Flexsafe® 3T 20 L

Line 1 (P1)

1 x Sartopore 2 0,2µm Gamma MidiCaps Size 4

1 x 1/4"x7/16" TuFlux® TPE Tubing 300mm

Line 2 (P2)

1 x Quick Coupler with plug (MPC) Male

1 x 1/4"x7/16" TuFlux® TPE Tubing Length 500mm

Line 3 (P3)

1 x Sampling with Clave connector

Quotation No. 2503-DBC-5034

Customer: OSPEDALE PEDIATRICO BAMBINO GESU' P.IVA e C....

Page 18 of 23



History

Major Revision	Pre-Order Revision	Subject	Date	Author
00	00	Technical drawing creation	24.03.2025	System

Prices

1 CTO Transfer line TuFlux® TPE L1500mm | ID 1/4" Plug Plug
ORC: FBT501210 revision 00.00

Price for 1 x CTO Transfer line TuFlux® TPE L1500mm | ID 1/4" Plug Plug 43,99 EUR

Price for 20 x CTO Transfer line TuFlux® TPE L1500mm | ID 1/4" Plug Plug 879,80 EUR

Minimum quantity is 20 | Lot size is 20

2 Flexsafe® 2D 1L
ORC: FLS501776 revision 00.00

Price for 1 x Flexsafe® 2D 1L 124,15 EUR

Price for 6 x Flexsafe® 2D 1L 744,90 EUR

Minimum quantity is 6 | Lot size is 6

3 Flexsafe® 2D 5L
ORC: FLS501777 revision 00.00

Price for 1 x Flexsafe® 2D 5L 142,84 EUR

Price for 16 x Flexsafe® 2D 5L 2.285,44 EUR

Minimum quantity is 16 | Lot size is 16

4 Flexsafe® 2D 20L
ORC: FLS501778 revision 00.00

Price for 1 x Flexsafe® 2D 20L 160,85 EUR

Price for 8 x Flexsafe® 2D 20L 1.286,80 EUR

Minimum quantity is 8 | Lot size is 8

Total

Total Price, net 5.196,94 EUR

Delivery costs 130,00 EUR

Commercial Conditions

Prices & Incoterms

The prices are net excluding the sales tax and any fees.

If costs for packing, shipping, insurance, commissioning (possibly shown as Incoterm costs), installation and training are not expressly offered they are not part of delivery.

Shipments will be CPT (Carriage paid to) Italy according to Incoterms 2020.

The prices are firm for the duration of the contract and not subject to any escalation.

The prices are given based on the current alloy factors for stainless steel. We reserve the right to adjust the prices at the time of order.

Terms of payment

100% after delivery 60 days due net

Approx. time of delivery ex works (working weeks):

Product	Standard	Qualification Level 1 - 3	Add-ons	Total
CTO Transfer line TuFlux® TPE L1500mm ID 1/4" Plug Plug	16-18 week(s)			16-18 week(s)
Flexsafe® 2D 1L	16-18 week(s)			16-18 week(s)
Flexsafe® 2D 5L	16-18 week(s)			16-18 week(s)
Flexsafe® 2D 20L	16-18 week(s)			16-18 week(s)

General information

Delivery times for Accessories are globally defined for 5 weeks, however they can vary individually. More detailed information will be provided case by case on request, or with the order confirmation.

The above mentioned delivery time is an approximate value after receipt of order and based on the current availability of the sub components and raw material and internal capacity.

Standard components (e.g. safety valves, addition valves, bottom valves and stirrers) have been considered for the evaluation of the delivery time.

In case deviating components will be used, especially such to be welded in at the vessel, the delivery time will be extended.

The final delivery time will be checked at the date of the order again and will be confirmed with our order confirmation.

Please note, the delivery might be done via other Sartorius group companies.

Validity of offer

Valid until: 04/02/2026

Pricing will be confirmed upon order confirmation.

Scope of supply

The scope of supply only includes the described items. If installation, commissioning and training are not expressly offered they are not part of delivery.

Order Reference Code

- Our Product Configurator assigns a unique Order Reference Code (ORC) that is specific to a unique product configuration.
- Any change initiated by customers within the capabilities of our Product Configurator will lead to a new Order Reference Code
- Any change initiated by Sartorius Stedim Biotech will be notified according to our change notification policy

Export control

We explicitly draw your attention to the fact that our products may be subject to international and national export restrictions (e.g. EC Dual-Use regulation No. 428/2009 including latest updates, German Ausfuhrliste, UK Strategic Export Control List, Swiss Güterkontrollverordnung, Indian SCOMET regulation, Singapore Strategic Goods Control List, US Export Administration Regulations (EAR) and US Re-Export regulations according to the EAR. Acceptance and delivery of the order will be done in strict compliance with the appropriate legal provisions and embargo regulations.

The buyer shall comply with all applicable national and international laws and regulations, in particular the applicable export control regulations, embargo regulations and sanction programs. The buyer also agrees not to export, re-export or transfer any hardware, software or technology developed with or using information, software or technology offered by Sartorius, in violation of any applicable laws or regulations of the competent authorities. Further, the buyer shall neither use any products, information, software and technology offered by Sartorius in or in connection with nuclear technology or weapons of mass destruction (nuclear, biological or chemical) and carriers thereof nor supply military consignees. Acceptance and execution of orders for products requiring approval is subject to the issue of an export license by the Federal Export Office of Economics and Export Control (BAFA), or the relevant authorities of other countries, respectively. In case products require approval, Sartorius requires an appropriate End-Use(r) Certificate from the end user stating the precise use of the products and including an informative company profile.

Our products will be supplied exclusively for civil and peaceful purposes. With the purchase order, the buyer agrees to comply with all applicable laws and to provide all requested information and data in a timely manner to obtain the necessary documents.

As the timely approval of the export license is out of control of Sartorius any delay in shipment due to the pending or rejected approval cannot be seen as a subject to any penalty requirements by the buyer.

No re-export to Russia

(1) The [Importer/Buyer] shall not sell, export or re-export, directly or indirectly, to the Russian Federation or for use in the Russian Federation any goods supplied under or in connection with this Agreement that fall under the scope of Article 12g of Council Regulation (EU) No 833/2014.

(2) The [Importer/Buyer] shall undertake its best efforts to ensure that the purpose of paragraph (1) is not frustrated by any third parties further down the commercial chain, including by possible resellers.

(3) The [Importer/Buyer] shall set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of paragraph (1).

(4) Any violation of paragraphs (1), (2) or (3) shall constitute a material breach of an essential element of this Agreement, and the [Exporter/Seller] shall be entitled to seek appropriate remedies, including, but not limited to: (i) termination of this Agreement; and (ii) a penalty of 10% of the total value of this Agreement or price of the goods exported, whichever is higher.

(5) The [Importer/Buyer] shall immediately inform the [Exporter/Seller] about any problems in applying paragraphs (1), (2) or (3), including any relevant activities by third parties that could frustrate the purpose of paragraph (1). The [Importer/Buyer] shall make available to the [Exporter/Seller] information concerning compliance with the obligations under paragraph (1), (2) and (3) within two weeks of the simple request of such information.

Alterations

We reserve the right to incorporate alterations or additions in this specification, if during the manufacturing time of the above items, new technology becomes available, i.e. some parts might be replaced by parts having at least the identical or better operation efficiency.

TERMS AND CONDITIONS OF SALE

This transaction is expressly subject to the Sartorius Terms and Conditions of Sale (Italy), relating to the sale of Goods and Services which can be found at <https://www.sartorius.com/download/618592/3/gtc-sale-final-italy-pdf-data.pdf>.

Such General Terms and Conditions of Sale along with this Quote constitute a legally binding contract ("Contract") between Sartorius and the customer (the "Customer"). These Terms and Conditions shall govern Sartorius' sale to Customer of the products or services specified in the Quote and shall apply to all quotations and any subsequent order, notwithstanding any terms or conditions on any order form, purchase order or other document. Customer shall be deemed to have accepted Sartorius Terms and Conditions of Sale by acceptance of the Quote, or any other performance which, under applicable law, constitutes acceptance, including Customer's failure to object in writing to these Sartorius Terms and Conditions of Sale. Any different, contrary or supplementary terms and conditions which may be presented by the Customer are hereby expressly rejected and deemed excluded and will not be deemed to form part of any contract, even in the event such terms are not excluded by Sartorius in an individual instance.

Quotation No. 2503-DBC-5034

Customer: OSPEDALE PEDIATRICO BAMBINO GESU' P.IVA e C....

Page 23 of 23

SARTORIUS

Please ensure that our quotation number is shown prominently on your purchase order. This helps us to carry out your order promptly and correctly.

If you have questions or require additional information please contact us.

Yours sincerely

Sartorius Stedim Italy S.r.l.

Daniela Bartocci

Sebastiano Serafini